

LAMPSETS, SPECIALTY LIGHTS & INDIVIDUAL GOOSENECKS

Littlite[®]
Gooseneck Task Lamps and Accessories



- **LED**
- **Halogen**
- **Incandescent**
- **Made in the USA**
- **Limited Lifetime Warranty**
- **Dozens of Mounting Options**
- **Energy Efficient**
- **Low Voltage Operation**

www.littlite.com

LAMPSETS

Littlite® lampsets are the heart of our task light system. Available with LED, halogen or incandescent lights, three gooseneck lengths and several chassis configurations. Lampsets come with hardware for surface mounting or they can be coupled with one of our mounting accessories. All lampsets are available with an Energy Star® qualified switch mode power supply or a Euro style Level V compliant power supply. (E Series) Selected Littlite LED products are listed by Underwriters Laboratories, Inc.

Littlite LED Lampsets

Littlite LED task lights feature a blend of white and red LED elements to provide a natural, even light output. Our Littlite Gen V LED products excel in light output, color temperature, color rendering and energy efficiency. Littlite LED lampsets feature the same high-quality construction and mounting versatility as our standard lampsets and enable the user to switch between a white light output for normal operation or a red light output for low-light applications. Custom configurations are available. Call the factory at 888-548-8548 for details.

150mA @ 12 Volts

Light output: 38 lumens (400 lux)

Color temperature: 4000°K (CCT- correlated color temperature)

Color rendering index: 85+ (CRI)

Approximate LED life under normal operating conditions: 60,000 hours

Littlite Standard Lampsets


The Original . . . our high intensity (5-watt halogen) and low intensity (2.4-watt incandescent) lampsets are available with 6", 12" or 18" goosenecks with permanently attached or detachable goosenecks. All standard lampsets include a fully adjustable dimmer.

Littlite LW Desk Lights

Littlite LW Desk Lights use a modified version of our CWB to mount a gooseneck and dimmer control. Available in high intensity 5-watt halogen and LED versions with 12" or 18" gooseneck. The LW Series features an enclosed bottom and an integrated power supply socket.

Lampset Models	Light Output	Gooseneck Position	Removable Mount	Gooseneck Length in inches
Incandescent				
L-1	2.4 Watt	Top	BNC	6, 12, 18
L-2	2.4 Watt	Top	No	6, 12, 18
L-8	2.4 Watt	Top	TNC	12, 18
Halogen				
L-3	5 Watt	Top	No	6, 12, 18
L-4	5 Watt	Top	BNC	6, 12, 18
L-7	5 Watt	End	No	12, 18
L-8-HI	5 Watt	Top	TNC	12, 18
LW-HI	5 Watt	Top	No	12,18
LED				
L-12-LED*	Red or White	Top	N/A	12
L-18-LED*	Red or White	Top	N/A	18
L-7-LED*	Red or White	End	N/A	12, 18
LW-LED	Red or White	Top	N/A	12, 18

*UL Listed Product



Individual Series

Originally designed as a detachable task light for sound and lighting consoles, Littlite gooseneck lamps are also an ideal choice for built-in applications. We offer our individual gooseneck lights with a variety of connectors, gooseneck lengths and light sources. Our mounting accessories facilitate custom installations anywhere a task light is required.

Littlite X and XR series gooseneck lamps feature the LLX, a proprietary XLR style connector, designed specifically to securely capture the gooseneck in the connector.

Littlite LED individual gooseneck lamps are available with all our standard connectors and are compatible with all major sound and lighting consoles with a 12-Volt task light connector. Visit www.littlite.com for power and polarity requirements for custom and OEM applications.

Models	Light Output	Connector Type	Gooseneck Length in inches
G-LED	White Only	BNC	12, 18
G-HI	5 Watt	BNC	6, 12, 18
G	2.4 Watt	BNC	6, 12, 18
P-LED	White or Red	Threaded	12, 18
P-HI	5 Watt	Threaded	6, 12, 18
P	2.4 Watt	Threaded	6, 12, 18
T-LED	White Only	TNC	12, 18
T-HI	5 Watt	TNC	6, 12, 18
T	2.4 Watt	TNC	6, 12, 18
X-LED	White Only	Straight XLR 3-Pin	12, 18
X-HI	5 Watt	Straight XLR 3-Pin	6, 12, 18
X	2.4 Watt	Straight XLR 3-Pin	6, 12, 18
X-4-LED	White or Red	Straight XLR 4-Pin	12, 18
X-HI-4	5 Watt	Straight XLR 4-Pin	6, 12, 18
X-4	2.5 Watt	Straight XLR 4-Pin	6, 12, 18
XR-LED	White Only	Right-Angle XLR 3-Pin	12, 18
XR-HI	5 Watt	Right-Angle XLR 3-Pin	6, 12, 18
XR	2.5 Watt	Right-Angle XLR 3-Pin	6, 12, 18
XR-4-LED	White or Red	Right-Angle XLR 4-Pin	12, 18
XR-HI-4	5 Watt	Right-Angle XLR 4-Pin	6, 12, 18
XR-4	2.5 Watt	Right-Angle XLR 4-Pin	6, 12, 18



INDIVIDUAL

Littlite's proprietary LLX connector is available in 3 and 4 pin, straight and right angle configurations. Pin inserts can be rotated to accommodate panel socket orientation.



SPECIALTY LITES

LA Series

Our Lectern Assembly series is ideal for installation applications requiring a sleek, low-profile task light. Available with our LED or high-intensity gooseneck lamps, the Littlite LA series is a pre-wired, drop-in assembly perfect for lecterns, workstations, custom furniture and many other locations. Mounting hardware and drilling template are included.

IS Series

Select Littlite lampsets are available in "IS" configuration with the power cord routed through the bottom of the chassis for a cleaner appearance when surface mounted.

LCR Series

The Littlite LCR is designed for applications requiring a 12-Volt, hard-wired task light. Easy to install and ideal as automotive map lights, marine chart lights, industrial machine lights and other surface mount applications. Constructed of sturdy steel components with an integrated on/off switch.

MS Series – Littlite Music Stand lights employ an adjustable friction mount assembly that works on any flat-edged music stand. Sturdy metal construction, your choice of LED or halogen light and our limited lifetime warranty insures a light that will accompany you throughout your musical career.



LA Series




IS Series



LCR Series



MS Series



LA-18-HI

IS LED

LCR

RAKLITES



RL-10-D-LED

RL-10-S

RLX

The Littlite® RL series is available with your choice of one or two 12" gooseneck lamps with LED array or 5-watt halogen bulbs. Littlite RAKLITES provide illumination for an entire rack of lighting or audio equipment and enable the user to adjust illumination for patching or general rack service. The gooseneck light is recessed into a sturdy black metal E.I.A. standard 19" wide x 1.75" high rack panel. Available in 110V and 240 Volt versions.

The Littlite RLX RAKLITE is a black single space rack panel (1.75") equipped with two 3-pin XLR connectors ready to receive one or two X or XR detachable Littlites. Available in 110V and 240 Volt versions. (Goosenecks not included.)

ACCESSORIES

Littlite®

Mounting Accessories

- CL Adjustable Clip
- CWB Cast Weighted Base
- FDB Flat Display Bracket
- HTC High Tension Clamp
- MB Magnetic Base
- MP Mounting Plate
- MP-2 Dual Mounting Plate
- MP-3 Flush Mount Plate for Lampsets
- PS BNC Panel Socket
- PS-T TNC Panel Socket
- RAKIT Rack Mounting Bracket
- XLR-PS3 3-Pin XLR Panel Socket
- XLR-PS4 4-Pin XLR Panel Socket

Power Supply & Accessories

- BA BNC to 2.1mm adapter cable, 2' length
- CP-2 Cigarette plug adapter with 5' cord
- EXF-10G Euro power supply with 6' cord
- EXT Extension cable for power supply, 6' length
- GAD 2.1mm connector to spade end connector
- GXF-10 ENERGY STAR® qualified switch mode power supply
- LAD 2.1mm connector to bare end adapter
- LV 12-volt automotive wiring kit
- PYE 4-to-1 adapter connects multiple Littlites to single power supply, 12" length
- WYE 2-to-1 adapter connects two Littlites to single power supply, 12" length

Littlite Tote

Carrying bag for Littlite console lights. Holds three gooseneck lights.

Parts, etc.

- CF Color filter kit. One each clear, red and blue
- DM Dimmer for Littlite installation. (Use RD for lampsets)
- GPK Chassis kit for G-series goosenecks
- GPK-T Chassis kit for T-series goosenecks
- HH High Hood for use with Q5 bulb/High Intensity lights
- HIC High Intensity Conversion Kit
- HLK Hood Locking Kit
- L-1 BNC chassis assembly
- L-8 TNC chassis assembly
- LH Low Hood for use with 1815 bulb/Low Intensity lights
- LK Replacement knob for lampset dimmer or switch
- LX X-Hood for use with X and XR series, high or low intensity
- NVF Night Vision Filter. Pack of three, specify clear, red or blue
- O-KIT 12-pack of O-Rings for Littlite hoods (excluding X and XR series)
- O-KIT-X 12-pack of O-Rings for X and XR series hoods
- RD Replacement dimmer assembly for L-series lampsets (excluding LED)
- SC Storage Clips
- SM Snap Mount
- XC Storage Clip for X and Automotive series

Replacement Bulbs

- Q5 12 volt, 5 watt tungsten-halogen bayonet base. 420mA maximum with a rated life of 2000 hours
- Q5-2 Q5 two pack
- 1815 12 volt, 2.4 watt incandescent bayonet base. 230mA maximum with a rated life of 3000 hours
- 1815-2 1815 two pack



FDB



NVF



LK



HIC




SC



GPK



MB



CL




HTC



Q5



1815



L-18-LED
shown on
CWB

Littlite® History

Littlite® . . .the name is synonymous with high-quality gooseneck task lights. For over thirty years we have been producing, refining and improving our task light system to meet the needs of users all over the world.

Originally conceived as an accessory for sound and lighting consoles, the simple-yet-elegant Littlite products have become the standard work lamps of numerous industries, and are found around the globe in film and television studios, radio stations, dance clubs, live venues, emergency vehicles, medical and assembly equipment-wherever an unobtrusive, effective, localized task lamp is needed.

Not only are we committed to providing the best product possible, we also strive to offer the best service and support in the industry. Littlite products rarely fail, but if they do our Limited Lifetime Warranty ensures that you won't be in the dark for long. We do not make a disposable product and we are determined that the Littlite you buy today will be with you for years and years to come.

We do all of the good work with an eye towards environmentally friendly products and production processes. We strive to make thoughtful decisions regarding all aspects of our business in order to minimize the impact on our environment. Littlites do not contain lead or other hazardous substances and are ROHS compliant.

Today our goals are the same as they always have been; Produce the best professional, versatile, flexible, durable gooseneck task light system and back it up with superior customer service.

Littlite® Trademark Policy

Use of the intellectual property of Littlite LLC including but not limited to our brand name "Littlite", the Littlite logo, the Littlite Liteprint and Littlite product images, as well as product descriptions from our website and literature (which are all copyrighted) are allowed at the sole discretion of and with the written permission of Littlite, LLC strictly for the promotion and sale of our products. Our trademarks must be displayed with the ® symbol and are not to be used generically or to refer to any products other than those manufactured by Littlite, LLC

Littlite® Warranty

Limited Lifetime Warranty

Littlite® products are covered by a limited lifetime warranty. Limitations include solid state circuitry, which is warranted for five years from date of manufacture, and bulbs, which are warranted to work when purchased.

Full warranty details are included with each gooseneck product and can be found on our web site, www.littlite.com.

For more information visit our website:
www.littlite.com



Anser®
28-1035



Automotive, LDC/CC/
Multivolt/
28-1034



Littlite®

10087 Industrial Drive
P. O. Box 430
Hamburg, MI 48139-0430
P 810-852-4242, F 810-231-1631, sales@littlite.com